1990 INDEX

AUTHORS

Agalloco, James. Computer system validation — staying current: change control. Jan., p. 20.
Alford, Joseph S., Jr. and Cline, Fred L., Jr. Computer system validation — staying current: installation qualification. Sept., p. 88.
Armstrong, N. Anthony. Considerations of compression speed in tablet manufacture. Sept., p. 106.
Ashley, Gary, Dale, Ross, Montgomery, Alice, Scheidt, Donna, and Slotsky, Myron. An integrated computer system for the production of clinical labels. June, p. 36.
Auslander, D.E. See Ghali, E.S.
Avallone, Henry L. Manufacture of clinical products. Sept., p. 150.
Ayd, Sharon W. See Mazzo, David J.
Ayres, James W. See Hossain, Mohammad.

Badalamenti, A.J. See Poska, R.P.
Berger, Elliott T. and Gordon, Vance. Computer-assisted new drug applications are here to stay: CANDAs have the potential to reduce review time. Sept., p. 20.
Bray, R.N., Jr. See Ranucci, J.A.
Buehler, John D. See Li, Shun Por.
Bueno, Carrie S. See Mazzo, David J.
Byron, Peter R. See Dalby, Richard N.

Chambers, Ann F. and Denhardt, David T. "Abatement of gene expression using antisense oligodeoxynucleotides," in Biotech Trends. Feb., p. 24.
Chang, Rong-Kun. A comparison of rheological and enteric properties among organic solutions, ammonium salt aqueous solutions, and latex systems of some enteric polymers. Oct., p. 62.
Chapman, Kenneth. What's in a word? An answer to the source code question. May, p. 12.
Cliff, M.J. Granulation end point and automated process control of mixer–granulators: part I. Apr., p. 112.
Cliff, M.J. Granulation end point and automated process control of mixer–granulators: part II. May, p. 38.
Cline, Fred L., Jr. See Alford, Joseph S., Jr.
Contractor, A.M. See Ghali, E.S.
Cunningham, Donald L. See Fourman, Gary L.

D'Arbeloff, Nicholas C. Application of robotics to pharmaceutical sterility testing. Jan., p. 42.
Dalby, Richard N., Byron, Peter R., Shepherd, H.R., and Papadopoulos, Elaine. CFC propellant substitution: P134a as a potential replacement for P-12 in MDIs. Mar., p. 26.
Dale, Ross. See Ashley, Gary.
Das, Nirmala. See Iyer, Uma.
Denhardt, David T. See Chambers, Ann F.
Desaulniers, Charles and Fey, Tera. The product bubble-point ratio and its use in filter integrity testing. Oct., p. 42.
Dixit, S. See Ranucci, J.A.
Donawa, Maria E. See Poggiolini, Duilio.
Dougherty, Joseph P. "Retrovirus vectors for efficient transfer of exogenous genes into target cell genomes," in Biotech Trends. Apr., p. 30.
Duchêne, Dominique and Wouessidjewe, Denis. Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part I. June, p. 26.
Duchêne, Dominique and Wouessidjewe, Denis. Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part II. Aug., p. 22.
Dziabo, Anthony J. See Grau, Laurie.

Fey, Tera. See Desaulniers, Charles.
Fourman, Gary L., Cunningham, Donald L., Gerteisen, Rick L., Glasscock, Jesse F., and Poska, Richard P. Improved color uniformity in tablets made by the direct compression method: a case study. Mar., p. 34.

Gerteisen, Rick L. See Fourman, Gary L.
Ghali, E.S., Contractor, A.M., Mankad, A.D., O'Connor, R.E., Schwartz, J.B., Auslander, D.E., and Grim, W.M. A high-speed mixer for continuous wet granulation. Apr., p. 60.
Ghebre-Sellassie, Isaac. See Iyer, Uma.
Glasscock, J.F. See Poska, R.P.
Glasscock, Jesse F. See Fourman, Gary L.
Goldman, D. See Ranucci, J.A.
Gopal, Chris and Mlodozeniec, Art. CIMtalk. Column.
Gordon, Vance. See Berger, Elliott T.
Grasso, Louis. See Kiburtz, Melanie S.
Grau, Laurie, McKay, Mark, Nelson, R. Brett, and Dziabo, Anthony J. A laboratory robotic system for contact lens compatibility studies. Apr., p. 94.
Grim, W.M. See Ghali, E.S.
Grim, W.M. See Pendharkar, C.M.
Grim, Wayne M. See Li, Shun Por.
Groves, Michael J. See Olson, Wayne P.

Harwood, R.J. See Pendharkar, C.M.
Harwood, Richard J. See Li, Shun Por.
Hause, W. See Pendharkar, C.M.
Henley, M.W. and Portnoff, J.B. Development of an electronic technique for determining rate of solution of solid products. Sept., p. 142.
Hickey, Anthony J. Factors influencing aerosol deposition in inertial impactors and their effect on particle-size characterization. Sept., p. 118.
Hong, Wen-Hai. See Iyer, Uma.
Hossain, Mohammad and Ayres, James W. Variables that influence coat integrity in a laboratory spray coater. Oct., p. 72.
Hsieh, Dean S.T. See Pfister, William R.

Iyer, Uma, Hong, Wen-Hai, Das, Nirmala, and Ghebre-Sellassie, Isaac. Comparative evaluation of three organic solvent and dispersion-based ethylcellulose coating formulations. Sept., p. 68.

Jackson, I.M., Roberts, S., Timmins, P., and Sen, H. Comparison of laboratory-scale processing techniques in the production of coated pellets. Feb., p. 50.
Jhawar, R.J. See Pendharkar, C.M.

Kann, Lance R. "Production management information systems," in CIMtalk. Jan., p. 68.
Khan, Sandy. An integrated whole-system approach to bottling and packaging for pharmaceutical and health-care liquids produced in batch quantities. Apr., p. 54.
Kiburtz, Melanie S. and Grasso, Louis. "Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Apr., p. 76.
Klegerman, Melvin E. See Olson, Wayne P.
Kohn, Joachim. "Current trends in the development of synthetic materials for medical applications," in Biotech Trends. Oct., p. 32.
Kosmala, Rupert M. The relationship between functional requirements and software design. Nov., p. 66.

Langer, Jerome A. "Soluble ligand-binding fragments of polypeptide receptors in basic and pharmaceutical research," in Biotech Trends. Sept., p. 46.
Lee, John Y. Investigating sterility test failures. Feb., p. 38.
Lee, John Y. Product annual review. Apr., p. 86.
Levy, Richard V., Souza, Kathleen S., and Neville, Carol B. The matrix approach: microbial retention testing of sterilizing-grade filters with final parenteral products, part I. Sept., p. 160.

1990 INDEX

AUTHORS

Agalloco, James. Computer system validation — staying current: change control. Jan., p. 20.
Alford, Joseph S., Jr. and Cline, Fred L., Jr. Computer system validation — staying current: installation qualification. Sept., p. 88.
Armstrong, N. Anthony. Considerations of compression speed in tablet manufacture. Sept., p. 106.
Ashley, Gary, Dale, Ross, Montgomery, Alice, Scheidt, Donna, and Slotsky, Myron. An integrated computer system for the production of clinical labels. June, p. 36.
Auslander, D.E. See Ghali, E.S.
Avallone, Henry L. Manufacture of clinical products. Sept., p. 150.
Ayd, Sharon W. See Mazzo, David J.
Ayres, James W. See Hossain, Mohammad.

Badalamenti, A.J. See Poska, R.P.
Berger, Elliott T. and Gordon, Vance. Computer-assisted new drug applications are here to stay: CANDAs have the potential to reduce review time. Sept., p. 20.
Bray, R.N., Jr. See Ranucci, J.A.
Buehler, John D. See Li, Shun Por.
Bueno, Carrie S. See Mazzo, David J.
Byron, Peter R. See Dalby, Richard N.

Chambers, Ann F. and Denhardt, David T. "Abatement of gene expression using antisense oligodeoxynucleotides," in Biotech Trends. Feb., p. 24.
Chang, Rong-Kun. A comparison of rheological and enteric properties among organic solutions, ammonium salt aqueous solutions, and latex systems of some enteric polymers. Oct., p. 62.
Chapman, Kenneth. What's in a word? An answer to the source code question. May, p. 12.
Cliff, M.J. Granulation end point and automated process control of mixer–granulators: part I. Apr., p. 112.
Cliff, M.J. Granulation end point and automated process control of mixer–granulators: part II. May, p. 38.
Cline, Fred L., Jr. See Alford, Joseph S., Jr.
Contractor, A.M. See Ghali, E.S.
Cunningham, Donald L. See Fourman, Gary L.

D'Arbeloff, Nicholas C. Application of robotics to pharmaceutical sterility testing. Jan., p. 42.
Dalby, Richard N., Byron, Peter R., Shepherd, H.R., and Papadopoulos, Elaine. CFC propellant substitution: P134a as a potential replacement for P-12 in MDIs. Mar., p. 26.
Dale, Ross. See Ashley, Gary.
Das, Nirmala. See Iyer, Uma.
Denhardt, David T. See Chambers, Ann F.
Desaulniers, Charles and Fey, Tera. The product bubble-point ratio and its use in filter integrity testing. Oct., p. 42.
Dixit, S. See Ranucci, J.A.
Donawa, Maria E. See Poggiolini, Duilio.
Dougherty, Joseph P. "Retrovirus vectors for efficient transfer of exogenous genes into target cell genomes," in Biotech Trends. Apr., p. 30.
Duchêne, Dominique and Wouessidjewe, Denis. Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part I. June, p. 26.
Duchêne, Dominique and Wouessidjewe, Denis. Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part II. Aug., p. 22.
Dziabo, Anthony J. See Grau, Laurie.

Fey, Tera. See Desaulniers, Charles.
Fourman, Gary L., Cunningham, Donald L., Gerteisen, Rick L., Glasscock, Jesse F., and Poska, Richard P. Improved color uniformity in tablets made by the direct compression method: a case study. Mar., p. 34.

Gerteisen, Rick L. See Fourman, Gary L.
Ghali, E.S., Contractor, A.M., Mankad, A.D., O'Connor, R.E., Schwartz, J.B., Auslander, D.E., and Grim, W.M. A high-speed mixer for continuous wet granulation. Apr., p. 60.
Ghebre-Sellassie, Isaac. See Iyer, Uma.
Glasscock, J.F. See Poska, R.P.
Glasscock, Jesse F. See Fourman, Gary L.
Goldman, D. See Ranucci, J.A.
Gopal, Chris and Mlodozeniec, Art. CIMtalk. Column.
Gordon, Vance. See Berger, Elliott T.
Grasso, Louis. See Kiburtz, Melanie S.
Grau, Laurie, McKay, Mark, Nelson, R. Brett, and Dziabo, Anthony J. A laboratory robotic system for contact lens compatibility studies. Apr., p. 94.
Grim, W.M. See Ghali, E.S.
Grim, W.M. See Pendharkar, C.M.
Grim, Wayne M. See Li, Shun Por.
Groves, Michael J. See Olson, Wayne P.

Harwood, R.J. See Pendharkar, C.M.
Harwood, Richard J. See Li, Shun Por.
Hause, W. See Pendharkar, C.M.
Henley, M.W. and Portnoff, J.B. Development of an electronic technique for determining rate of solution of solid products. Sept., p. 142.
Hickey, Anthony J. Factors influencing aerosol deposition in inertial impactors and their effect on particle-size characterization. Sept., p. 118.
Hong, Wen-Hai. See Iyer, Uma.
Hossain, Mohammad and Ayres, James W. Variables that influence coat integrity in a laboratory spray coater. Oct., p. 72.
Hsieh, Dean S.T. See Pfister, William R.

Iyer, Uma, Hong, Wen-Hai, Das, Nirmala, and Ghebre-Sellassie, Isaac. Comparative evaluation of three organic solvent and dispersion-based ethylcellulose coating formulations. Sept., p. 68.

Jackson, I.M., Roberts, S., Timmins, P., and Sen, H. Comparison of laboratory-scale processing techniques in the production of coated pellets. Feb., p. 50.
Jhawar, R.J. See Pendharkar, C.M.

Kann, Lance R. "Production management information systems," in CIMtalk. Jan., p. 68.
Khan, Sandy. An integrated whole-system approach to bottling and packaging for pharmaceutical and health-care liquids produced in batch quantities. Apr., p. 54.
Kiburtz, Melanie S. and Grasso, Louis. "Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Apr., p. 76.
Klegerman, Melvin E. See Olson, Wayne P.
Kohn, Joachim. "Current trends in the development of synthetic materials for medical applications," in Biotech Trends. Oct., p. 32.
Kosmala, Rupert M. The relationship between functional requirements and software design. Nov., p. 66.

Langer, Jerome A. "Soluble ligand-binding fragments of polypeptide receptors in basic and pharmaceutical research," in Biotech Trends. Sept., p. 46.
Lee, John Y. Investigating sterility test failures. Feb., p. 38.
Lee, John Y. Product annual review. Apr., p. 86.
Levy, Richard V., Souza, Kathleen S., and Neville, Carol B. The matrix approach: microbial retention testing of sterilizing-grade filters with final parenteral products, part I. Sept., p. 160.

Li, Shun Por, Mehta, Gunvant N., Buehler, John D., Grim, Wayne M., and Harwood, Richard J. The effect of film-coating additives on the in vitro dissolution release rate of ethyl cellulose–coated theophylline granules. Mar., p. 20.
Lucisano, Leo J. and Poska, Richard P. Microwave technology — fad or the future? Apr., p. 38.

Mankad, A.D. See Ghali, E.S.
Matson, John M. Principles of flight for a world-class manufacturer. Nov., p. 16.
Mazzo, David J., Bueno, Carrie S., and Ayd, Sharon W. A data-acquisition and information management system designed for pharmaceutical stability evaluations. May, p. 56.
McKay, Mark. See Grau, Laurie.
McLean, Michael. See Svenson, Debra.
Mehta, Gunvant N. See Li, Shun Por.
Mlodozeniec, Art. See Gopal, Chris.
Montgomery, Alice. See Ashley, Gary.

Nelson, R. Brett. See Grau, Laurie.
Neville, Carol B. See Levy, Richard V.

O'Connor, R.E. See Ghali, E.S.
Olson, Wayne P., Groves, Michael J., and Klegerman, Melvin E. Identifying bacterial contaminants in a pharmaceutical manufacturing facility by gas chromatographic fatty acid analysis. Feb., p. 32.

Papadopoulos, Elaine. See Dalby, Richard N.
Pendharkar, C.M., Jhawar, R.J., Rutledge, J.M., Hause, W., Grim, W.M., and Harwood, R.J. Influence of the specific surface area of selected raw materials on the granulation process using an instrumented mixer. Apr., p. 44.
Pestka, Sidney. Biotech Trends. Column.
Pfister, William R. and Hsieh, Dean S.T. Permeation enhancers compatible with transdermal drug delivery systems, part I: selection and formulation considerations. Sept., p. 132.
Pfister, William R. and Hsieh, Dean S.T. Permeation enhancers compatible with transdermal drug delivery systems, part II: system design considerations. Oct., p. 54.
PMA Ad Hoc Committee on Racemic Mixtures. Comments on enantiomerism in the drug development process. May, p. 46.
Poggiolini, Duilio and Donawa, Maria E. EEC pharmaceutical regulation: the multistate procedure and CPMP. Apr., p. 104.
Portnoff, J.B. See Henley, M.W.
Poska, R.P., Glasscock, J.F., Badalamenti, A.J., and van Schaik, J. Testing the performance of a tablet weight control monitor. Jan., p. 56.
Poska, Richard P. See Fourman, Gary L.
Poska, Richard P. See Lucisano, Leo J.

Quist, S.M., Zielinski, M., and Sirany, R.E. Field bus: meeting the needs of the pharmaceutical industry. May, p. 70.

Ranucci, J.A., Dixit, S., Bray, R.N., Jr., and Goldman, D. Controlled flocculation in metered-dose aerosol suspensions. Apr., p. 68.
Rashidbaigi, Abbas. "Growth factors: characteristics and applications," in Biotech Trends. May, p. 26.
Roberts, S. See Jackson, I.M.
Rothman, Lawrence J. "Sharing the informational wealth," in CIMtalk. Nov., p. 48.
Rutledge, J.M. See Pendharkar, C.M.

Scheidt, Donna. See Ashley, Gary.
Schwartz, J.B. See Ghali, E.S.
Sen, H. See Jackson, I.M.
Shepherd, H.R. See Dalby, Richard N.
Sirany, R.E. See Quist, S.M.
Slotsky, Myron. See Ashley, Gary.
Smith, K.A. An automated continuous tablet-production system. Dec., p. 68.
Souza, Kathleen S. See Levy, Richard V.
Stotz, Robert W. Applications of CASE tools in the pharmaceutical industry. Oct., p. 84.
Svenson, Debra and McLean, Michael. "Computer-integrated electronic batch records and pharmaceutical documents: a first step toward paperless factories," in CIMtalk. Nov., p. 54.

Thompson, P. William. "Advances in the automation of bioprocessing," in Biotech Trends. Nov., p. 36.
Thornton, Robert M. Pharmaceutically sterile clean rooms. Feb., p. 44.
Timmins, P. See Jackson, I.M.
Tingstad, James E. The Technical Manager. Column.

Van Schaik, J. See Poska, R.P.

Wechsler, Jill. Washington Report. Monthly Column. Jan.–Dec.
Wouessidjewe, Denis. See Duchêne, Dominique.

Zielinski, M. See Quist, S.M.

SUBJECTS

ACQUIRED IMMUNODEFICIENCY SYNDROME
"A lot for science: little for FDA," in Washington Report. Jill Wechsler. Apr., p. 16.
"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.
"Prospects for speeding the drug approval process," in Washington Report. Jill Wechsler. Mar., p. 14.

ADHESIVES
Permeation enhancers compatible with transdermal drug delivery systems, part II: system design considerations. William R. Pfister and Dean S.T. Hsieh. Oct., p. 54.

AEROSOLS
CFC propellant substitution: P134a as a potential replacement for P-12 in MDIs. Richard N. Dalby, Peter R. Byron, H.R. Shepherd, and Elaine Papadopoulos. Mar., p. 26.
Controlled flocculation in metered-dose aerosol suspensions. J.A. Ranucci, S. Dixit, R.N. Bray, Jr., and D. Goldman. Apr., p. 68.
Factors influencing aerosol deposition in inertial impactors and their effect on particle-size characterization. Anthony J. Hickey. Sept., p. 118.

AMERICAN ASSOCIATION OF PHARMACEUTICAL SCIENTISTS
Microwave technology — fad or the future? Leo J. Lucisano and Richard P. Poska. Apr., p. 38.

ANALYTICAL METHODS
Identifying bacterial contaminants in a pharmaceutical manufacturing facility by gas chromatographic fatty acid analysis. Wayne P. Olson, Michael J. Groves, and Melvin E. Klegerman. Feb., p. 32.

ANIMAL EXPERIMENTATION
"Sibling rivalry, siege mentality," in Washington Report. Jill Wechsler. Nov., p. 24.

ASSAY
A data-acquisition and information management system designed for pharmaceutical stability evaluations. David J. Mazzo, Carrie S. Bueno, and Sharon W. Ayd. May, p. 56.
Identifying bacterial contaminants in a pharmaceutical manufacturing facility by gas chromatographic fatty acid analysis. Wayne P. Olson, Michael J. Groves, and Melvin E. Klegerman. Feb., p. 32.

AUDIT
Product annual review. John Y. Lee. Apr., p. 86.

AUTOMATION
"Advances in the automation of bioprocessing," in Biotech Trends. P. William Thompson. Nov., p. 36.

An automated continuous tablet-production system. K.A. Smith. Dec., p. 68.
A data-acquisition and information management system designed for pharmaceutical stability evaluations. David J. Mazzo, Carrie S. Bueno, and Sharon W. Ayd. May, p. 56.
Granulation end point and automated process control of mixer–granulators: part II. M.J. Cliff. May, p. 38.
An integrated whole-system approach to bottling and packaging for pharmaceutical and health-care liquids produced in batch quantities. Sandy Khan. Apr., p. 54.
A laboratory robotic system for contact lens compatibility studies. Laurie Grau, Mark McKay, R. Brett Nelson, and Anthony J. Dziabo. Apr., p. 94.

BIOAVAILABILITY

Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part II. Dominique Duchêne and Denis Wouessidjewe. Aug., p. 22.

BIOLOGICALS

"Growth factors: characteristics and applications," in Biotech Trends. Abbas Rashidbaigi. May, p. 26.
"Soluble ligand-binding fragments of polypeptide receptors in basic and pharmaceutical research," in Biotech Trends. Jerome A. Langer. Sept., p. 46.

BIOMATERIALS

"Current trends in the development of synthetic materials for medical applications," in Biotech Trends. Joachim Kohn. Oct., p. 32.

BIOTECH TRENDS COLUMN

"Abatement of gene expression using antisense oligodeoxynucleotides," in Biotech Trends. Ann F. Chambers and David T. Denhardt. Feb., p. 24.
"Advances in the automation of bioprocessing," in Biotech Trends. P. William Thompson. Nov., p. 36.
"Current trends in the development of synthetic materials for medical applications," in Biotech Trends. Joachim Kohn. Oct., p. 32.
"Growth factors: characteristics and applications," in Biotech Trends. Abbas Rashidbaigi. May, p. 26.
"Retrovirus vectors for efficient transfer of exogenous genes into target cell genomes," in Biotech Trends. Joseph P. Dougherty. Apr., p. 30.
"Soluble ligand-binding fragments of polypeptide receptors in basic and pharmaceutical research," in Biotech Trends. Jerome A. Langer. Sept., p. 46.

BIOTECHNOLOGY

"Abatement of gene expression using antisense oligodeoxynucleotides," in Biotech Trends. Ann F. Chambers and David T. Denhardt. Feb., p. 24.
"Advances in the automation of bioprocessing," in Biotech Trends. P. William Thompson. Nov., p. 36.
EEC pharmaceutical regulation: the multi-state procedure and CPMP. Duilio Poggiolini and Maria E. Donawa. Apr., p. 104.
"Growth factors: characteristics and applications," in Biotech Trends. Abbas Rashidbaigi. May, p. 26.
"Retrovirus vectors for efficient transfer of exogenous genes into target cell genomes," in Biotech Trends. Joseph P. Dougherty. Apr., p. 30.
"Soluble ligand-binding fragments of polypeptide receptors in basic and pharmaceutical research," in Biotech Trends. Jerome A. Langer. Sept., p. 46.

BOOK REVIEWS

Hardegree, M.C. and Tu, A.T., Eds., *Bacterial Toxins, Handbook of Natural Toxins, Volume 4*, reviewed by Michael J. Groves. May, p. 86.
Lieberman, H.H., Lachman, L., and Schwartz, J.B., Eds., *Pharmaceutical Dosage Forms: Tablets, Volume 1*, reviewed by Michael J. Groves. Apr., p. 148.
Martin, Y.C., Kutter, E., and Austel, V., Eds., *Modern Drug Research: Paths to Better and Safer Drugs*, reviewed by Michael J. Groves. May, p. 89.
Osborne, D.W. and Amann, A.H., Eds., *Topical Drug Delivery Formulations*, reviewed by Michael J. Groves. Apr., p. 154.
Spilker, B., *Multinational Drug Companies: Issues in Drug Discovery and Development*, reviewed by Michael J. Groves. May, p. 87.
Swarbrick, J. and Boylan, J.C., Eds., *Encyclopedia of Pharmaceutical Technology: Volume Two*, reviewed by Michael J. Groves. Apr., p. 139.
Tyle, P., Ed., *Drug Delivery Devices: Fundamentals and Applications*, reviewed by Michael J. Groves. Apr., p. 142.
Tyle, P., Ed., *Specialized Drug Delivery Systems: Manufacturing and Production Technology*, reviewed by Michael J. Groves. Apr., p. 147.

CHROMATOGRAPHY

"Advances in the automation of bioprocessing," in Biotech Trends. P. William Thompson. Nov., p. 36.

CIMTALK COLUMN

"Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Melanie S. Kiburtz and Louis Grasso. Apr., p. 76.
"Computer-integrated electronic batch records and pharmaceutical documents: a first step toward paperless factories," in CIMtalk. Debra Svenson and Michael McLean. Nov., p. 54.
"Production management information systems," in CIMtalk. Lance R. Kann. Jan., p. 68.
"Reassessing CIMtalk," in CIMtalk. Chris Gopal and Art Mlodozeniec. Feb., p. 58.
"Sharing the informational wealth," in CIMtalk. Lawrence J. Rothman. Nov., p. 48.

CLEAN ROOMS

Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.

CLINICAL PRODUCTS

Manufacture of clinical products. Henry L. Avallone. Sept., p. 150.

COATINGS

Comparative evaluation of three organic solvent and dispersion-based ethylcellulose coating formulations. Uma Iyer, Wen-Hai Hong, Nirmala Das, and Isaac Ghebre-Sellassie. Sept., p. 68.
Comparison of laboratory-scale processing techniques in the production of coated pellets. I.M. Jackson, S. Roberts, P. Timmins, and H. Sen. Feb., p. 50.
A comparison of rheological and enteric properties among organic solutions, ammonium salt aqueous solutions, and latex systems of some enteric polymers. Rong-Kun Chang. Oct., p. 62.
The effect of film-coating additives on the in vitro dissolution release rate of ethyl cellulose–coated theophylline granules. Shun Por Li, Gunvant N. Mehta, John D. Buehler, Wayne M. Grim, and Richard J. Harwood. Mar., p. 20.
Variables that influence coat integrity in a laboratory spray coater. Mohammad Hossain and James W. Ayres. Oct., p. 72.

COLOR

Improved color uniformity in tablets made by the direct compression method: a case study. Gary L. Fourman, Donald L. Cunningham, Rick L. Gerteisen, Jesse F. Glasscock, and Richard P. Poska. Mar., p. 34.

COMPRESSION/COMPACTION

Considerations of compression speed in tablet manufacture. N. Anthony Armstrong. Sept., p. 106.
Testing the performance of a tablet weight control monitor. R.P. Poska, J.F. Glasscock, A.J. Badalamenti, and J. van Schaik. Jan., p. 56.

COMPUTER-INTEGRATED MANUFACTURING

"Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Melanie S. Kiburtz and Louis Grasso. Apr., p. 76.
Computer system validation — staying current: change control. James Agalloco. Jan., p. 20.
"Computer-integrated electronic batch records and pharmaceutical documents: a first step toward paperless factories," in CIMtalk. Debra Svenson and Michael McLean. Nov., p. 54.
Field bus: meeting the needs of the pharmaceutical industry. S.M. Quist, M. Zielinski, and R.E. Sirany. May, p. 70.
"MRP-II/DRP systems: integrated materials management in the pharmaceutical industry," in CIMtalk. Chris Gopal. June, p. 42.
Principles of flight for a world-class manufacturer. John M. Matson. Nov., p. 16.

"Production management information systems," in CIMtalk. Lance R. Kann. Jan., p. 68.
"Reassessing CIMtalk," in CIMtalk. Chris Gopal and Art Mlodozeniec. Feb., p. 58.
"Sharing the informational wealth," in CIMtalk. Lawrence J. Rothman. Nov., p. 48.

COMPUTERS

"Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Melanie S. Kiburtz and Louis Grasso. Apr., p. 76.
Applications of CASE tools in the pharmaceutical industry. Robert W. Stotz. Oct., p. 84.
An automated continuous tablet-production system. K.A. Smith. Dec., p. 68.
Computer system validation — staying current: change control. James Agalloco. Jan., p. 20.
Computer system validation — staying current: installation qualification. Joseph S. Alford, Jr. and Fred L. Cline, Jr. Sept., p. 88.
Computer-assisted new drug applications are here to stay: CANDAs have the potential to reduce review time. Elliott T. Berger and Vance Gordon. Sept., p. 20.
"Computer-integrated electronic batch records and pharmaceutical documents: a first step toward paperless factories," in CIMtalk. Debra Svenson and Michael McLean. Nov., p. 54.
A data-acquisition and information management system designed for pharmaceutical stability evaluations. David J. Mazzo, Carrie S. Bueno, and Sharon W. Ayd. May, p. 56.
Field bus: meeting the needs of the pharmaceutical industry. S.M. Quist, M. Zielinski, and R.E. Sirany. May, p. 70.
An integrated computer system for the production of clinical labels. Gary Ashley, Ross Dale, Alice Montgomery, Donna Scheidt, and Myron Slotsky. June, p. 36.
The relationship between functional requirements and software design. Rupert M. Kosmala. Nov., p. 66.
"Sharing the informational wealth," in CIMtalk. Lawrence J. Rothman. Nov., p. 48.
What's in a word? An answer to the source code question. Kenneth Chapman. May, p. 12.

CONTACT LENSES

A laboratory robotic system for contact lens compatibility studies. Laurie Grau, Mark McKay, R. Brett Nelson, and Anthony J. Dziabo. Apr., p. 94.

CONTAMINATION

Application of robotics to pharmaceutical sterility testing. Nicholas C. D'Arbeloff. Jan., p. 42.
Identifying bacterial contaminants in a pharmaceutical manufacturing facility by gas chromatographic fatty acid analysis. Wayne P. Olson, Michael J. Groves, and Melvin E. Klegerman. Feb., p. 32.
Investigating sterility test failures. John Y. Lee. Feb., p. 38.
Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.

CONTROLLED RELEASE

Comparative evaluation of three organic solvent and dispersion-based ethylcellulose coating formulations. Uma Iyer, Wen-Hai Hong, Nirmala Das, and Isaac Ghebre-Sellassie. Sept., p. 68.
Comparison of laboratory-scale processing techniques in the production of coated pellets. I.M. Jackson, S. Roberts, P. Timmins, and H. Sen. Feb., p. 50.
A comparison of rheological and enteric properties among organic solutions, ammonium salt aqueous solutions, and latex systems of some enteric polymers. Rong-Kun Chang. Oct., p. 62.
"Current trends in the development of synthetic materials for medical applications," in Biotech Trends. Joachim Kohn. Oct., p. 32.
The effect of film-coating additives on the in vitro dissolution release rate of ethyl cellulose–coated theophylline granules. Shun Por Li, Gunvant N. Mehta, John D. Buehler, Wayne M. Grim, and Richard J. Harwood. Mar., p. 20.
Permeation enhancers compatible with transdermal drug delivery systems, part II: system design considerations. William R. Pfister and Dean S.T. Hsieh. Oct., p. 54.
Variables that influence coat integrity in a laboratory spray coater. Mohammad Hossain and James W. Ayres. Oct., p. 72.

CYCLODEXTRINS

Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part I. Dominique Duchêne and Denis Wouessidjewe. June, p. 26.
Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part II. Dominique Duchêne and Denis Wouessidjewe. Aug., p. 22.

DISSOLUTION

Comparison of laboratory-scale processing techniques in the production of coated pellets. I.M. Jackson, S. Roberts, P. Timmins, and H. Sen. Feb., p. 50.
Development of an electronic technique for determining rate of solution of solid products. M.W. Henley and J.B. Portnoff. Sept., p. 142.
The effect of film-coating additives on the in vitro dissolution release rate of ethyl cellulose–coated theophylline granules. Shun Por Li, Gunvant N. Mehta, John D. Buehler, Wayne M. Grim, and Richard J. Harwood. Mar., p. 20.
A high-speed mixer for continuous wet granulation. E.S. Ghali, A.M. Contractor, A.D. Mankad, R.E. O'Connor, J.B. Schwartz, D.E. Auslander, and W.M. Grim. Apr., p. 60.

DRUG DELIVERY SYSTEMS

Controlled flocculation in metered-dose aerosol suspensions. J.A. Ranucci, S. Dixit, R.N. Bray, Jr., and D. Goldman. Apr., p. 68.
"Current trends in the development of synthetic materials for medical applications," in Biotech Trends. Joachim Kohn. Oct., p. 32.
Permeation enhancers compatible with transdermal drug delivery systems, part I: selection and formulation considerations. William R. Pfister and Dean S.T. Hsieh. Sept., p. 132.
Permeation enhancers compatible with transdermal drug delivery systems, part II: system design considerations. William R. Pfister and Dean S.T. Hsieh. Oct., p. 54.

DRUG LAG

"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.
"Prospects for speeding the drug approval process," in Washington Report. Jill Wechsler. Mar., p. 14.

DRUG MARKETING

EEC pharmaceutical regulation: the multi-state procedure and CPMP. Duilio Poggiolini and Maria E. Donawa. Apr., p. 104.
"Prospects for speeding the drug approval process," in Washington Report. Jill Wechsler. Mar., p. 14.
"The mounting attack on drug prices," in Washington Report. Jill Wechsler. Feb., p. 16.

DRUG MONITORING/REPORTING

"Prospects for speeding the drug approval process," in Washington Report. Jill Wechsler. Mar., p. 14.

DRYING

Microwave technology — fad or the future? Leo J. Lucisano and Richard P. Poska. Apr., p. 38.

EDUCATION

Third annual AAPS–Pharm Tech employment survey, Dec., p. 28.

EMPLOYEES

"A daughter, red squill, and a picture of God," in The Technical Manager. James E. Tingstad. Apr., p. 24.
"A profile of excellence," in The Technical Manager. James E. Tingstad. Sept., p. 36.
"Ethics in technical management," in The Technical Manager. James E. Tingstad. Oct., p. 28.
Investigating sterility test failures. John Y. Lee. Feb., p. 38.
Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.
Third annual AAPS–Pharm Tech employment survey, Dec., p. 28.

ENANTIOMERS

Comments on enantiomerism in the drug development process. PMA Ad Hoc Committee on Racemic Mixtures. May, p. 46.

ENGINEERING

Applications of CASE tools in the pharmaceutical industry. Robert W. Stotz. Oct., p. 84.

Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.

EPA

CFC propellant substitution: P134a as a potential replacement for P-12 in MDIs. Richard N. Dalby, Peter R. Byron, H.R. Shepherd, and Elaine Papadopoulos. Mar., p. 26.

EUROPEAN ECONOMIC COMMUNITY

"A common market for pharmaceuticals?" in Washington Report. Jill Wechsler. June, p. 12.

EEC pharmaceutical regulation: the multi-state procedure and CPMP. Duilio Poggiolini and Maria E. Donawa. Apr., p. 104.

"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.

EXCIPIENTS

Comparative evaluation of three organic solvent and dispersion-based ethylcellulose coating formulations. Uma Iyer, Wen-Hai Hong, Nirmala Das, and Isaac Ghebre-Sellassie. Sept., p. 68.

Comparison of laboratory-scale processing techniques in the production of coated pellets. I.M. Jackson, S. Roberts, P. Timmins, and H. Sen. Feb., p. 50.

Controlled flocculation in metered-dose aerosol suspensions. J.A. Ranucci, S. Dixit, R.N. Bray, Jr., and D. Goldman. Apr., p. 68.

A high-speed mixer for continuous wet granulation. E.S. Ghali, A.M. Contractor, A.D. Mankad, R.E. O'Connor, J.B. Schwartz, D.E. Auslander, and W.M. Grim. Apr., p. 60.

Improved color uniformity in tablets made by the direct compression method: a case study. Gary L. Fourman, Donald L. Cunningham, Rick L. Gerteisen, Jesse F. Glasscock, and Richard P. Poska. Mar., p. 34.

Influence of the specific surface area of selected raw materials on the granulation process using an instrumented mixer. C.M. Pendharkar, R.J. Jhawar, J.M. Rutledge, W. Hause, W.M. Grim, and R.J. Harwood. Apr., p. 44.

Permeation enhancers compatible with transdermal drug delivery systems, part I: selection and formulation considerations. William R. Pfister and Dean S.T. Hsieh. Sept., p. 132.

Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part I. Dominique Duchêne and Denis Wouessidjewe. June, p. 26.

Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part II. Dominique Duchêne and Denis Wouessidjewe. Aug., p. 22.

FACILITIES

"Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Melanie S. Kiburtz and Louis Grasso. Apr., p. 76.

Computer system validation — staying current: installation qualification. Joseph S. Alford, Jr. and Fred L. Cline, Jr. Sept., p. 88.

Investigating sterility test failures. John Y. Lee. Feb., p. 38.

Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.

FDA

"A common market for pharmaceuticals?" in Washington Report. Jill Wechsler. June, p. 12.

"A lot for science: little for FDA," in Washington Report. Jill Wechsler. Apr., p. 16.

"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.

"Collaboration, guidelines, and reimbursement affect drug development," in Washington Report. Jill Wechsler. May, p. 18.

Computer-assisted new drug applications are here to stay: CANDAs have the potential to reduce review time. Elliott T. Berger and Vance Gordon. Sept., p. 20.

"FDA, FBI, IG: diversions, rescissions, investigations," in Washington Report. Jill Wechsler. Sept., p. 26.

"Fixing up FDA: NDAs, drug development, and drug discovery," in Washington Report. Jill Wechsler. Aug., p. 12.

Investigating sterility test failures. John Y. Lee. Feb., p. 38.

Manufacture of clinical products. Henry L. Avallone. Sept., p. 150.

Microwave technology — fad or the future? Leo J. Lucisano and Richard P. Poska. Apr., p. 38.

"Political solutions to political problems," in Washington Report. Jill Wechsler. Dec., p. 18.

Product annual review. John Y. Lee. Apr., p. 86.

"Prospects for speeding the drug approval process," in Washington Report. Jill Wechsler. Mar., p. 14.

"Sibling rivalry, siege mentality," in Washington Report. Jill Wechsler. Nov., p. 24.

"The mounting attack on drug prices," in Washington Report. Jill Wechsler. Feb., p. 16.

FERMENTATION

"Advances in the automation of bioprocessing," in Biotech Trends. P. William Thompson. Nov., p. 36.

FILMS

Comparative evaluation of three organic solvent and dispersion-based ethylcellulose coating formulations. Uma Iyer, Wen-Hai Hong, Nirmala Das, and Isaac Ghebre-Sellassie. Sept., p. 68.

A comparison of rheological and enteric properties among organic solutions, ammonium salt aqueous solutions, and latex systems of some enteric polymers. Rong-Kun Chang. Oct., p. 62.

The effect of film-coating additives on the in vitro dissolution release rate of ethyl cellulose–coated theophylline granules. Shun Por Li, Gunvant N. Mehta, John D. Buehler, Wayne M. Grim, and Richard J. Harwood. Mar., p. 20.

Variables that influence coat integrity in a laboratory spray coater. Mohammad Hossain and James W. Ayres. Oct., p. 72.

FILTRATION

Investigating sterility test failures. John Y. Lee. Feb., p. 38.

The matrix approach: microbial retention testing of sterilizing-grade filters with final parenteral products, part I. Richard V. Levy, Kathleen S. Souza, and Carol B. Neville. Sept., p. 160.

The product bubble-point ratio and its use in filter integrity testing. Charles Desaulniers and Tera Fey. Oct., p. 42.

FLUID-BED TECHNOLOGY

Comparison of laboratory-scale processing techniques in the production of coated pellets. I.M. Jackson, S. Roberts, P. Timmins, and H. Sen. Feb., p. 50.

The effect of film-coating additives on the in vitro dissolution release rate of ethyl cellulose–coated theophylline granules. Shun Por Li, Gunvant N. Mehta, John D. Buehler, Wayne M. Grim, and Richard J. Harwood. Mar., p. 20.

Microwave technology — fad or the future? Leo J. Lucisano and Richard P. Poska. Apr., p. 38.

Variables that influence coat integrity in a laboratory spray coater. Mohammad Hossain and James W. Ayres. Oct., p. 72.

FORMULATION

Permeation enhancers compatible with transdermal drug delivery systems, part II: system design considerations. William R. Pfister and Dean S.T. Hsieh. Oct., p. 54.

Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part I. Dominique Duchêne and Denis Wouessidjewe. June, p. 26.

GAS CHROMATOGRAPHY

Identifying bacterial contaminants in a pharmaceutical manufacturing facility by gas chromatographic fatty acid analysis. Wayne P. Olson, Michael J. Groves, and Melvin E. Klegerman. Feb., p. 32.

GENERIC DRUGS

"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.

"FDA, FBI, IG: diversions, rescissions, investigations," in Washington Report. Jill Wechsler. Sept., p. 26.
"The mounting attack on drug prices," in Washington Report. Jill Wechsler. Feb., p. 16.

GOOD MANUFACTURING PRACTICES

Computer system validation — staying current: change control. James Agalloco. Jan., p. 20.
An integrated whole-system approach to bottling and packaging for pharmaceutical and health-care liquids produced in batch quantities. Sandy Khan. Apr., p. 54.
Investigating sterility test failures. John Y. Lee. Feb., p. 38.
Manufacture of clinical products. Henry L. Avallone. Sept., p. 150.
Product annual review. John Y. Lee. Apr., p. 86.

GRANULATION

Granulation end point and automated process control of mixer–granulators: part I. M.J. Cliff. Apr., p. 112.
Granulation end point and automated process control of mixer–granulators: part II. M.J. Cliff. May, p. 38.
A high-speed mixer for continuous wet granulation. E.S. Ghali, A.M. Contractor, A.D. Mankad, R.E. O'Connor, J.B. Schwartz, D.E. Auslander, and W.M. Grim. Apr., p. 60.
Influence of the specific surface area of selected raw materials on the granulation process using an instrumented mixer. C.M. Pendharkar, R.J. Jhawar, J.M. Rutledge, W. Hause, W.M. Grim, and R.J. Harwood. Apr., p. 44.
Microwave technology — fad or the future? Leo J. Lucisano and Richard P. Poska. Apr., p. 38.

HVAC

Investigating sterility test failures. John Y. Lee. Feb., p. 38.
Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.

INSPECTIONS

Product annual review. John Y. Lee. Apr., p. 86.

INSTRUMENTATION

Computer system validation — staying current: installation qualification. Joseph S. Alford, Jr. and Fred L. Cline, Jr. Sept., p. 88.
Development of an electronic technique for determining rate of solution of solid products. M.W. Henley and J.B. Portnoff. Sept., p. 142.
Factors influencing aerosol deposition in inertial impactors and their effect on particle-size characterization. Anthony J. Hickey. Sept., p. 118.
Granulation end point and automated process control of mixer–granulators: part I. M.J. Cliff. Apr., p. 112.
Granulation end point and automated process control of mixer–granulators: part II. M.J. Cliff. May, p. 38.
Testing the performance of a tablet weight control monitor. R.P. Poska, J.F. Glasscock, A.J. Badalamenti, and J. van Schaik. Jan., p. 56.

INVESTIGATIONAL NEW DRUGS

"Prospects for speeding the drug approval process," in Washington Report. Jill Wechsler. Mar., p. 14.

LABELING

An integrated computer system for the production of clinical labels. Gary Ashley, Ross Dale, Alice Montgomery, Donna Scheidt, and Myron Slotsky. June, p. 36.

MANAGEMENT

"A daughter, red squill, and a picture of God," in The Technical Manager. James E. Tingstad. Apr., p. 24.
"A profile of excellence," in The Technical Manager. James E. Tingstad. Sept., p. 36.
"Ethics in technical management," in The Technical Manager. James E. Tingstad. Oct., p. 28.
Principles of flight for a world-class manufacturer. John M. Matson. Nov., p. 16.
Product annual review. John Y. Lee. Apr., p. 86.
"Production management information systems," in CIMtalk. Lance R. Kann. Jan., p. 68.

MEMBRANES

The product bubble-point ratio and its use in filter integrity testing. Charles Desaulniers and Tera Fey. Oct., p. 42.

METERED-DOSE INHALERS

CFC propellant substitution: P134a as a potential replacement for P-12 in MDIs. Richard N. Dalby, Peter R. Byron, H.R. Shepherd, and Elaine Papadopoulos. Mar., p. 26.

MICROBIOLOGY

Identifying bacterial contaminants in a pharmaceutical manufacturing facility by gas chromatographic fatty acid analysis. Wayne P. Olson, Michael J. Groves, and Melvin E. Klegerman. Feb., p. 32.
Investigating sterility test failures. John Y. Lee. Feb., p. 38.

MRP-DRP

"Production management information systems," in CIMtalk. Lance R. Kann. Jan., p. 68.

MRP-II

"Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Melanie S. Kiburtz and Louis Grasso. Apr., p. 76.
"Computer-integrated electronic batch records and pharmaceutical documents: a first step toward paperless factories," in CIMtalk. Debra Svenson and Michael McLean. Nov., p. 54.
"MRP-II/DRP systems: integrated materials management in the pharmaceutical industry," in CIMtalk. Chris Gopal. June, p. 42.

NEW DRUG APPLICATIONS

"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.
"Collaboration, guidelines, and reimbursement affect drug development," in Washington Report. Jill Wechsler. May, p. 18.
Computer-assisted new drug applications are here to stay: CANDAs have the potential to reduce review time. Elliott T. Berger and Vance Gordon. Sept., p. 20.
EEC pharmaceutical regulation: the multi-state procedure and CPMP. Duilio Poggiolini and Maria E. Donawa. Apr., p. 104.
"Fixing up FDA: NDAs, drug development, and drug discovery," in Washington Report. Jill Wechsler. Aug., p. 12.
Manufacture of clinical products. Henry L. Avallone. Sept., p. 150.
"Prospects for speeding the drug approval process," in Washington Report. Jill Wechsler. Mar., p. 14.

NIH

"Sibling rivalry, siege mentality," in Washington Report. Jill Wechsler. Nov., p. 24.

ORPHAN DRUGS

"A lot for science: little for FDA," in Washington Report. Jill Wechsler. Apr., p. 16.
"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.
"Political solutions to political problems," in Washington Report. Jill Wechsler. Dec., p. 18.
"The mounting attack on drug prices," in Washington Report. Jill Wechsler. Feb., p. 16.

OTC DRUGS

"Collaboration, guidelines, and reimbursement affect drug development," in Washington Report. Jill Wechsler. May, p. 18.
"Fixing up FDA: NDAs, drug development, and drug discovery," in Washington Report. Jill Wechsler. Aug., p. 12.

PACKAGING

An integrated whole-system approach to bottling and packaging for pharmaceutical and health-care liquids produced in batch quantities. Sandy Khan. Apr., p. 54.

PARENTERALS

Application of robotics to pharmaceutical sterility testing. Nicholas C. D'Arbeloff. Jan., p. 42.

Investigating sterility test failures. John Y. Lee. Feb., p. 38.

The matrix approach: microbial retention testing of sterilizing-grade filters with final parenteral products, part I. Richard V. Levy, Kathleen S. Souza, and Carol B. Neville. Sept., p. 160.

PARTICULATES

Application of robotics to pharmaceutical sterility testing. Nicholas C. D'Arbeloff. Jan., p. 42.

Development of an electronic technique for determining rate of solution of solid products. M.W. Henley and J.B. Portnoff. Sept., p. 142.

PHARMACEUTICAL INDUSTRY

Principles of flight for a world-class manufacturer.. John M. Matson. Nov., p. 16.

"Rationing and drugs," in Washington Report. Jill Wechsler. Oct., p. 18.

PHARMACEUTICAL MANUFACTURERS ASSOCIATION

"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.

Comments on enantiomerism in the drug development process. PMA Ad Hoc Committee on Racemic Mixtures. May, p. 46.

Computer system validation — staying current: change control. James Agalloco. Jan., p. 20.

Computer system validation — staying current: installation qualification. Joseph S. Alford, Jr. and Fred L. Cline, Jr. Sept., p. 88.

Computer-assisted new drug applications are here to stay: CANDAs have the potential to reduce review time. Elliott T. Berger and Vance Gordon. Sept., p. 20.

POLYMERS

A comparison of rheological and enteric properties among organic solutions, ammonium salt aqueous solutions, and latex systems of some enteric polymers. Rong-Kun Chang. Oct., p. 62.

"Current trends in the development of synthetic materials for medical applications," in Biotech Trends. Joachim Kohn. Oct., p. 32.

PROCESS CONTROL

"Advances in the automation of bioprocessing," in Biotech Trends. P. William Thompson. Nov., p. 36.

An automated continuous tablet-production system. K.A. Smith. Dec., p. 68.

Computer system validation — staying current: installation qualification. Joseph S. Alford, Jr. and Fred L. Cline, Jr. Sept., p. 88.

Granulation end point and automated process control of mixer–granulators: part I. M.J. Cliff. Apr., p. 112.

Granulation end point and automated process control of mixer–granulators: part II. M.J. Cliff. May, p. 38.

"Production management information systems," in CIMtalk. Lance R. Kann. Jan., p. 68.

Testing the performance of a tablet weight control monitor. R.P. Poska, J.F. Glasscock, A.J. Badalamenti, and J. van Schaik. Jan., p. 56.

PROCESS DEVELOPMENT

An automated continuous tablet-production system. K.A. Smith. Dec., p. 68.

Comments on enantiomerism in the drug development process. PMA Ad Hoc Committee on Racemic Mixtures. May, p. 46.

A comparison of rheological and enteric properties among organic solutions, ammonium salt aqueous solutions, and latex systems of some enteric polymers. Rong-Kun Chang. Oct., p. 62.

Controlled flocculation in metered-dose aerosol suspensions. J.A. Ranucci, S. Dixit, R.N. Bray, Jr., and D. Goldman. Apr., p. 68.

STILMAS makes one thing perfectly pure.



For the most advanced technology in water treatment and distillation, look into STILMAS products. Each is constructed of highly polished AISI 316 L stainless steel with full double tube sheet construction. STILMAS products are user-friendly and require minimal maintenance.

- **Multi-Effect Pharmastill**: Based on the combined advantages of the thin falling film and multi-stage principles, this WFI distillation unit provides high efficiency with excellent product quality.
- **Ultra-Pure Free Steam Generator**: For ultra-pure steam that is guaranteed sterile, pyrogen and particle free, this steam generator performs in even the most demanding processes.
- **Vapor Thermocompression Superstill**: The most economical method of producing high quality pyrogen free water to USP and British Pharmacopea regulations. Conforms to FDA CGMP.
- **Pretreatment**: Reverse Osmosis and D.I. Systems. Full "turn key project capabilities." (Design and Engineering).

For more information on STILMAS products please contact:
Steri-Pharm Technologies, 850 Foster Avenue, Bensenville, IL 60106.
Tel: 708/860-7330. Fax: 708/860-7665.

Distributed and Serviced Exclusively by

STERI·PHARM Technologies, Inc.

The Clear Choice in Sterilization and Distillation

Circle 41

For Fully Controllable Wash Water Spray

STRAHMAN MIXING UNITS

MODEL M-159
Completely blends hot and cold water in any desired proportion.

MODEL M-5000
Produces hot water instantly by mixing steam and cold water. Special safety feature precludes the chance of steam burns.



All Strahman mixing units are ruggedly constructed to provide long, dependable service. Furnished with a 50 ft. high pressure hose, a stainless steel hose rack and our famous spray nozzle,

Strahman mixing units are designed for safety and ease of operation.

EQUIPPED WITH

Heavy Duty · Water Saver SPRAY NOZZLE

MODEL M-70
Applies water evenly, jet stream or spray, for a cleaner, quicker job – precision automatic shut-off saves costly hot water waste – protected by rugged renewable rubber cover. Nozzle available separately.

Available in either bronze or stainless steel construction.

Strahman
VALVES, INC., 3 Vreeland Rd, Florham Pk., N.J. 07932, (201) 377-4900

3485

Circle 43

Granulation end point and automated process control of mixer–granulators: part I. M.J. Cliff. Apr., p. 112.

A high-speed mixer for continuous wet granulation. E.S. Ghali, A.M. Contractor, A.D. Mankad, R.E. O'Connor, J.B. Schwartz, D.E. Auslander, and W.M. Grim. Apr., p. 60.

Improved color uniformity in tablets made by the direct compression method: a case study. Gary L. Fourman, Donald L. Cunningham, Rick L. Gerteisen, Jesse F. Glasscock, and Richard P. Poska. Mar., p. 34.

Influence of the specific surface area of selected raw materials on the granulation process using an instrumented mixer. C.M. Pendharkar, R.J. Jhawar, J.M. Rutledge, W. Hause, W.M. Grim, and R.J. Harwood. Apr., p. 44.

Microwave technology — fad or the future? Leo J. Lucisano and Richard P. Poska. Apr., p. 38.

Variables that influence coat integrity in a laboratory spray coater. Mohammad Hossain and James W. Ayres. Oct., p. 72.

PROTEINS

"Abatement of gene expression using antisense oligodeoxynucleotides," in Biotech Trends. Ann F. Chambers and David T. Denhardt. Feb., p. 24.

"Growth factors: characteristics and applications," in Biotech Trends. Abbas Rashidbaigi. May, p. 26.

"Retrovirus vectors for efficient transfer of exogenous genes into target cell genomes," in Biotech Trends. Joseph P. Dougherty. Apr., p. 30.

"Soluble ligand-binding fragments of polypeptide receptors in basic and pharmaceutical research," in Biotech Trends. Jerome A. Langer. Sept., p. 46.

PURIFICATION

Comments on enantiomerism in the drug development process. PMA Ad Hoc Committee on Racemic Mixtures. May, p. 46.

QUALITY ASSURANCE/QUALITY CONTROL

An integrated whole-system approach to bottling and packaging for pharmaceutical and health-care liquids produced in batch quantities. Sandy Khan. Apr., p. 54.

Investigating sterility test failures. John Y. Lee. Feb., p. 38.

"MRP-II/DRP systems: integrated materials management in the pharmaceutical industry," in CIMtalk. Chris Gopal. June, p. 42.

Testing the performance of a tablet weight control monitor. R.P. Poska, J.F. Glasscock, A.J. Badalamenti, and J. van Schaik. Jan., p. 56.

RAW MATERIALS

"Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Melanie S. Kiburtz and Louis Grasso. Apr., p. 76.

The effect of film-coating additives on the in vitro dissolution release rate of ethyl cellulose–coated theophylline granules. Shun Por Li, Gunvant N. Mehta, John D. Buehler, Wayne M. Grim, and Richard J. Harwood. Mar., p. 20.

Improved color uniformity in tablets made by the direct compression method: a case study. Gary L. Fourman, Donald L. Cunningham, Rick L. Gerteisen, Jesse F. Glasscock, and Richard P. Poska. Mar., p. 34.

Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part I. Dominique Duchêne and Denis Wouessidjewe. June, p. 26.

Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, part II. Dominique Duchêne and Denis Wouessidjewe. Aug., p. 22.

REGULATIONS

"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.

EEC pharmaceutical regulation: the multi-state procedure and CPMP. Duilio Poggiolini and Maria E. Donawa. Apr., p. 104.

Manufacture of clinical products. Henry L. Avallone. Sept., p. 150.

Product annual review. John Y. Lee. Apr., p. 86.

"The mounting attack on drug prices," in Washington Report. Jill Wechsler. Feb., p. 16.

RESEARCH AND DEVELOPMENT

"Fixing up FDA: NDAs, drug development, and drug discovery," in Washington Report. Jill Wechsler. Aug., p. 12.

LEE FLUID TRANSFER

FluidFlow BALL VALVES

A REVOLUTION IN C·I·P VALVES

Two-Way (2FT) Super Sanitary C.I.P. Manual Ball Valve with Super #7 O.D. Finish.

Clean-In-Place Flush Bottom Ball Valve

Fluid Transfer's Super Sanitary C.I.P. Ball Valves are designed for Clean-In-Place applications, which allow for the valves to be cleaned without dismantling. These valves can be easily installed and incorporated into any C.I.P. system. If existing Fluid Transfer valves are being utilized, they can be replaced with the new C.I.P. valves - since the mounting dimensions are identical. These valves are designed with a dedicated C.I.P. port and a unique cutaway ball, which allow the cleaning solution to flow through the cavity of the ball and body cleaning the valve thoroughly. The ball is designed to create turbulence in the body, making it easy to flush out any product. This port can also be used for product sampling. Sizes range from 1-1/2" to 4", featuring T-316 stainless steel and Teflon seal construction. All construction materials are USDA, FDA accepted. Our #4 polished I.D. is standard, with O.D. polish optional. The valve has a working pressure to 150 PSIG and a maximum temperature of 350°F. The *Tri-Clamp connection is standard. It is easily disassembled in seconds. Several types of pneumatic air-to-air and spring-return actuators are available options.

*Trademark of Tri-Clover

LEE Fluid Transfer
DIVISION OF LEE INDUSTRIES, INC.
P.O. Box 471, Philipsburg, PA 16866
FAX: 814/342-5660
PHONE: 814/342-0902

Circle 45

ROBOTICS
Application of robotics to pharmaceutical sterility testing. Nicholas C. D'Arbeloff. Jan., p. 42.
A laboratory robotic system for contact lens compatibility studies. Laurie Grau, Mark McKay, R. Brett Nelson, and Anthony J. Dziabo. Apr., p. 94.

SAFETY
"Application of bar-coding and relational data base management system technology to raw material tracking and management," in CIMtalk. Melanie S. Kiburtz and Louis Grasso. Apr., p. 76.

SALARIES
Third annual AAPS–Pharm Tech employment survey, Dec., p. 28.

SAMPLING
Factors influencing aerosol deposition in inertial impactors and their effect on particle-size characterization. Anthony J. Hickey. Sept., p. 118.

SCALE-UP
"Advances in the automation of bioprocessing," in Biotech Trends. P. William Thompson. Nov., p. 36.
Comments on enantiomerism in the drug development process. PMA Ad Hoc Committee on Racemic Mixtures. May, p. 46.
Comparison of laboratory-scale processing techniques in the production of coated pellets. I.M. Jackson, S. Roberts, P. Timmins, and H. Sen. Feb., p. 50.

SENSORS
Computer system validation — staying current: installation qualification. Joseph S. Alford, Jr. and Fred L. Cline, Jr. Sept., p. 88.
Granulation end point and automated process control of mixer–granulators: part I. M.J. Cliff. Apr., p. 112.
Granulation end point and automated process control of mixer–granulators: part II. M.J. Cliff. May, p. 38.
Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.
Testing the performance of a tablet weight control monitor. R.P. Poska, J.F. Glasscock, A.J. Badalamenti, and J. van Schaik. Jan., p. 56.

SOFTWARE
Applications of CASE tools in the pharmaceutical industry. Robert W. Stotz. Oct., p. 84.
Computer system validation — staying current: change control. James Agalloco. Jan., p. 20.
"Computer-integrated electronic batch records and pharmaceutical documents: a first step toward paperless factories," in CIMtalk. Debra Svenson and Michael McLean. Nov., p. 54.
The relationship between functional requirements and software design. Rupert M. Kosmala. Nov., p. 66.
"Sharing the informational wealth," in CIMtalk. Lawrence J. Rothman. Nov., p. 48.
What's in a word? An answer to the source code question. Kenneth Chapman. May, p. 12.

SPECIAL PUBLICATIONS
Buyers Guide. July.
Pharm Tech Conference '90 abstracts. Aug., p. 34.
Third annual AAPS–Pharm Tech employment survey. Dec., p. 28.

STANDARDS
Field bus: meeting the needs of the pharmaceutical industry. S.M. Quist, M. Zielinski, and R.E. Sirany. May, p. 70.
Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.

STERILE OPERATIONS
Application of robotics to pharmaceutical sterility testing. Nicholas C. D'Arbeloff. Jan., p. 42.

Investigating sterility test failures. John Y. Lee. Feb., p. 38.
Pharmaceutically sterile clean rooms. Robert M. Thornton. Feb., p. 44.

STERILIZATION

Investigating sterility test failures. John Y. Lee. Feb., p. 38.
The matrix approach: microbial retention testing of sterilizing-grade filters with final parenteral products, part I. Richard V. Levy, Kathleen S. Souza, and Carol B. Neville. Sept., p. 160.
The product bubble-point ratio and its use in filter integrity testing. Charles Desaulniers and Tera Fey. Oct., p. 42.

SURFACTANTS

CFC propellant substitution: P134a as a potential replacement for P-12 in MDIs. Richard N. Dalby, Peter R. Byron, H.R. Shepherd, and Elaine Papadopoulos. Mar., p. 26.

TABLETS AND TABLETING

An automated continuous tablet-production system. K.A. Smith. Dec., p. 68.
Considerations of compression speed in tablet manufacture. N. Anthony Armstrong. Sept., p. 106.
Improved color uniformity in tablets made by the direct compression method: a case study. Gary L. Fourman, Donald L. Cunningham, Rick L. Gerteisen, Jesse F. Glasscock, and Richard P. Poska. Mar., p. 34.
Testing the performance of a tablet weight control monitor. R.P. Poska, J.F. Glasscock, A.J. Badalamenti, and J. van Schaik. Jan., p. 56.

TESTING

Application of robotics to pharmaceutical sterility testing. Nicholas C. D'Arbeloff. Jan., p. 42.
Applications of CASE tools in the pharmaceutical industry. Robert W. Stotz. Oct., p. 84.
Computer system validation — staying current: change control. James Agalloco. Jan., p. 20.
A data-acquisition and information management system designed for pharmaceutical stability evaluations. David J. Mazzo, Carrie S. Bueno, and Sharon W. Ayd. May, p. 56.
Factors influencing aerosol deposition in inertial impactors and their effect on particle-size characterization. Anthony J. Hickey. Sept., p. 118.
Identifying bacterial contaminants in a pharmaceutical manufacturing facility by gas chromatographic fatty acid analysis. Wayne P. Olson, Michael J. Groves, and Melvin E. Klegerman. Feb., p. 32.
Investigating sterility test failures. John Y. Lee. Feb., p. 38.
A laboratory robotic system for contact lens compatibility studies. Laurie Grau, Mark McKay, R. Brett Nelson, and Anthony J. Dziabo. Apr., p. 94.
The matrix approach: microbial retention testing of sterilizing-grade filters with final parenteral products, part I. Richard V. Levy, Kathleen S. Souza, and Carol B. Neville. Sept., p. 160.
The product bubble-point ratio and its use in filter integrity testing. Charles Desaulniers and Tera Fey. Oct., p. 42.

THE TECHNICAL MANAGER COLUMN

"A daughter, red squill, and a picture of God," in The Technical Manager. James E. Tingstad. Apr., p. 24.
"A profile of excellence," in The Technical Manager. James E. Tingstad. Sept., p. 36.
"Ethics in technical management," in The Technical Manager. James E. Tingstad. Oct., p. 28.

TOPICALS

Permeation enhancers compatible with transdermal drug delivery systems, part I:

CONTROLLERS
Check Fischer & Porter First

Fischer & Porter MC5000 Modular Controller is two years ahead of the competition. See for yourself.
- Unique high visibility CRT-type dot matrix operator display.
- Pre-configured Flexible Control Strategies for easy implementation.
- High level language if needed.
- 1-, 2-, or 4-loop versions.
- Dual high speed (2 Mbps) highway.
- Compact standard DIN case.
- Modular design offers many expansion options.

Learn more about this and Fischer & Porter's other advanced technology products, technical support, service, and training. Call or write.



FISCHER & PORTER
• (215) 674-6000

Circle 47

NEWS BRIEF

Kanig honored

Joseph L. Kanig, PhD, was the recipient of the third annual Publisher's Award at the Pharm Tech '90 conference. The award was established by *Pharmaceutical Technology* to recognize individuals who have made significant contributions to the pharmaceutical industry. Kanig is president of Kanig Consulting and Research Associates and has served as dean at Columbia University College of Pharmaceutical Sciences. He is a coeditor of and contributing author to *The Theory and Practice of Industrial Pharmacy* and is a contributing author to *Remington's Practice of Pharmacy*.

selection and formulation considerations. William R. Pfister and Dean S.T. Hsieh. Sept., p. 132.

TRAINING

Investigating sterility test failures. John Y. Lee. Feb., p. 38.

TRANSDERMALS

Permeation enhancers compatible with transdermal drug delivery systems, part I: selection and formulation considerations. William R. Pfister and Dean S.T. Hsieh. Sept., p. 132.

Permeation enhancers compatible with transdermal drug delivery systems, part II: system design considerations. William R. Pfister and Dean S.T. Hsieh. Oct., p. 54.

VALIDATION

Applications of CASE tools in the pharmaceutical industry. Robert W. Stotz. Oct., p. 84.

Computer system validation — staying current: change control. James Agalloco. Jan., p. 20.

Computer system validation — staying current: installation qualification. Joseph S. Alford, Jr. and Fred L. Cline, Jr. Sept., p. 88.

An integrated computer system for the production of clinical labels. Gary Ashley, Ross Dale, Alice Montgomery, Donna Scheidt, and Myron Slotsky. June, p. 36.

Manufacture of clinical products. Henry L. Avallone. Sept., p. 150.

The matrix approach: microbial retention testing of sterilizing-grade filters with final parenteral products, part I. Richard V. Levy, Kathleen S. Souza, and Carol B. Neville. Sept., p. 160.

What's in a word? An answer to the source code question. Kenneth Chapman. May, p. 12.

WASHINGTON REPORT COLUMN

"A common market for pharmaceuticals?" in Washington Report. Jill Wechsler. June, p. 12.

"A lot for science: little for FDA," in Washington Report. Jill Wechsler. Apr., p. 16.

"A new era for the pharmaceutical industry," in Washington Report. Jill Wechsler. Jan., p. 14.

"Collaboration, guidelines, and reimbursement affect drug development," in Washington Report. Jill Wechsler. May, p. 18.

"FDA, FBI, IG: diversions, rescissions, investigations," in Washington Report. Jill Wechsler. Sept., p. 26.

"Fixing up FDA: NDAs, drug development, and drug discovery," in Washington Report. Jill Wechsler. Aug., p. 12.

"Political solutions to political problems," in Washington Report. Jill Wechsler. Dec., p. 18.

"Rationing and drugs," in Washington Report. Jill Wechsler. Oct., p. 18.

"Sibling rivalry, siege mentality," in Washington Report. Jill Wechsler. Nov., p. 24.

"The mounting attack on drug prices," in Washington Report. Jill Wechsler. Feb., p. 16. ■

COURTOY

ROTARY TABLET PRESSES
• AUTOMATED
• UNMANNED
• VALIDATED

PNEUMATIC COMPENSATOR
EXTENDED DWELL TIMES AT PEAK FORMING PRESSURES
EXCEPTIONAL ABILITY TO COMPRESS "DIFFICULT" FORMULATIONS



PNEUMATIC COMPENSATOR DWELL CURVE

MEMO CONTROL
FULLY AUTOMATED SET-UP AND OPERATION
SIMPLIFIED TOUCH-SCREEN OPERATOR INTERFACE

ISOLATED COMPRESSION MODULE
PERMANENTLY ISOLATED UPPER AND LOWER CAM MODULES

Trying
SEEING IS BELIEVING . . .

TO ARRANGE FOR A TRIAL OR DEMONSTRATION IN OUR TESTING FACILITY OR DETAILED TECHNICAL INFORMATION, PLEASE CONTACT US. WE CAN ALSO SHOW YOU THE COURTOY PRESSES RUNNING UNDER AUTOMATED, UNMANNED AND VALIDATED CONDITIONS IN THE FIELD.

A C COMPACTING PRESSES
A DIVISION OF ARNHOLD CERAMICS
1577 LIVINGSTON AVE. • NORTH BRUNSWICK, NJ 08902-0366 • (800) 524-0183 • (201) 249-6900 • Fax: (201) 249-6909

Circle 48